
Weather: overcast, drizzle

Tide: high Air: 55°F Water: 53°F

5 cfs flow (est.)

1065'					
(323m)		. m. 1			
(32311)	12' wide stream	مستقلم			
	15' wide channel	moss on larger exposed boulders			
47.3m	thick hough handening	- 1 IAT			
197°	thick brush bordering dense brown periphyton creek				
3%	30% small boulders				
	60/40 pool/riffle	55% cobbles			
	/	15% gravel			
909'	£\ / <del>2</del>	<b>~</b> /			
(275m)	30% slopes 2' deep	70% ASA			
20.9m	gradually pool	thick calmonharmy brush			
152	rising to 100%	thick salmonberry brush			
4%	60' wide flood plain	15' wide 2" deep			
		15° wide 2° deep			
<u>840'</u>	thick alders 7 50/50 pool/riffle	low stable banks			
(255m)	low stable banks	excellent rearing - numerous l' coho			
56.4m	تر	2' high deeply undercut bank			
210°	High Tide				
1%	12" deep pools	large spruce			
10	<b>♠</b> 77	121			
	[m]:	l 12' wide stream    30' wide channel 50% ASA			
_654'	2' high banks	1 20 Mide Chaimei 204 M2M			
(198m)	2 High banks	1 A 10% small boulders			
(19011)	\m\.\.	80% cobbles			
61 9m	dense algae	10% rounded gravel			
61.8m 165	W. Carlotte				
1.5%	<del></del>				
	atmosm is sommletely.	grassflat area			
	stream is completely covered by a thick	approximately 30 rearing coho			
4501	mat of algae	observed in this section			
(136m)	(enteromorpha)	List His			
(130)	الملا	fig. gravel			
136.4m	A **)				
205°		, , , , , , , , , , , , , , , , , , ,			
intertio	dal	<b>*</b>			
	<b>A</b>	Craig D-5			
	Τ (	360' wide			
	fresh deer,	grassflat			
	bear and wolf	HECETA ISLAND			
	tracks				
	70'	1			
	• · · · ·	N Warm			
	<b>↑</b>	Chuck Inlet			
	J	\ '\			
	*/	103-80-24			
	,				
		-41-			
		·			



## PEAK ESCAPEMENT RECORD

103-80-24 Warm Chuck Inlet

DATE	PINK	CHUM	OTHER SPECIES	REMARKS
1941	20,000			
9/20/42	15,000	6,000		
9/29/43	10,000	1,000		5,000 at mouth
10/7/44	25,000	5,500		
10/5/47	2,500	1,000		
9/25/48	Few	Few		
9/10/56	1,500			4,500 pinks at mouth
9/19/56	550	1,800		
9/19/57	5,500	2,050		5,000 pinks; 250 chums at mouth.
9/16/60	200	2,500		Fair
9/12/61	600	None seen		
1962 through 1968				No survey
8/28/69	3,500	None seen		
1970 through 1974				No survey
8/14/75	500	None seen		
1976				No survey
8/16/77	8,000			
8/23/78	3,000			
8/10/80	1,400			